

FEEL THE RESULTS

A NEW RANGE OF DIAMOND TOOLS FOR SURFACES AND FLOORS

FROM THE COMPLETE PARTNER IN SURFACES AND FLOORS

A FULL RANGE - FROM THE COMPLETE PARTNER IN SURFACES AND FLOORS



BRING YOUR SKILLS TO THE SURFACE

Where others see a hard surface, we see something else: potential.

Everyday surface and floor materials – like concrete, stone and wood – are just waiting to be made into something extraordinary. With your skills and our diamond tools, it's possible to bring their inner harmony and beauty to light.

Let us help you transform any surface with ease. Simply choose your Husqvarna diamond tool – and feel the results.

WELCOME TO A SMOOTHER WORKDAY

FROM START TO BEAUTIFUL FINISH

When it comes to demanding jobs, we know that even small interruptions can take a major toll on your productivity. Shouldn't your workflow be as smooth and effortless as the finished result?

To streamline your day, we've brought together the best diamond tools from the world's three leading brands – Husqvarna, HTC and Blastrac – into one complete range.

And there's no question: with this new range you can expect an unparalleled surface preparation experience. Whether you're removing a previous treatment, grinding,

polishing or edging – now you can flow through every step of the job with ease.

It's all part of our commitment to be your complete partner in surfaces and floors. Count on us to deliver the machines, chemicals, floor solutions and diamond tools you need – along with the quality, performance and results you're looking for. Every time.



**WHEN IT COMES TO SURFACE
PREPARATION AND REFINEMENT,
DIAMOND TOOLS ARE WHAT MAKE
THE DIFFERENCE BETWEEN A
GOOD RESULT – AND A GREAT ONE.**

ONE ALL-STAR LINE-UP

EVERYTHING YOU NEED IN ONE PLACE

From one trusted source, you can now get all the removal, grinding, polishing and edging tools you need for every step of the job.



COATING AND ADHESIVE REMOVAL

Remove various types of coatings and obtain a clean surface with efficiency and precision.



CONCRETE GRINDING

Efficiently grind and prepare concrete floors of varying hardness levels. Achieve smooth and exposed surfaces with a consistent scratch pattern.



POLISHING

Resin tools for honing and polishing concrete surfaces. Achieve high DOI (Distinctness Of Image) and low Ra (surface roughness) values, effortlessly.

A CHANGE FOR THE BETTER

We're proud to present this complete diamond tool range. It's the result of two years of intensive market and product research – as well as 100 years of combined experience from the world's three leading brands. Here's why this range is the best choice for every job.

WIDEST OFFERING TO TACKLE ANY SURFACE

We are a global player with a heritage like no other – and the most complete offering to tackle any surface, from extremely abrasive floors to the hardest concrete, as well as special applications like natural stone and wood.

EASIER TO CHOOSE AND USE

Whatever the application, our new line-up offers an easy solution. It's easy to find what you need, thanks to a new colour system that helps you identify each tool's grit size, as well as a new naming logic that clearly indicates each tool's performance level, application and action.

The range is also easy to use, since all our metal tools and ELITE resin tools now feature the popular EZchange™ attachment system, which makes changing tools effortless.

ALWAYS THE RIGHT PERFORMANCE

You can be sure of getting the right performance for your needs at every step of the job. Choose from three performance levels: ELITE, VARI and TACTI, represented by the colours Gold, Silver and Bronze, respectively.

PLASTIC-FREE PACKAGING

Our ambition is to minimise our environmental impact and help reduce the use of plastic and waste at the construction site. All our diamond tools therefore come in appropriately sized packaging made from 100% recycled cardboard. For added convenience, the packaging is also easy to stock or hang.

WORLD-CLASS QUALITY AND SUPPORT

Delivering the highest quality is in our DNA. This is why we evaluate every product and ensure that it meets our strict requirements. We also offer a deep resource of industry expertise and know-how from qualified technicians and a responsive team.



EDGING

Reach corners and edges that are difficult to access. Eliminate uneven areas for a polished, professional appearance and a uniform finish.



SPECIAL APPLICATIONS

Our range also includes tools to effectively treat other surfaces, including natural stone, overlays and wooden floors.

THREE PERFORMANCE LEVELS

All diamond tools are now categorised and named by performance level. This ensures that you always get exactly what you need for every application.

ELITE

- Recommended for heavy users and demanding professionals
- Longest life, fastest results and optimal for demanding jobs

VARI

- Developed for versatile professionals who work in diverse conditions
- Standard range of applications
- Optimal for moderate professional use

TACTI

- Excellent performance-to-price ratio
- Optimal for “less complex” and less demanding jobs
- Optimal for occasional users

NEW DIAMOND TOOL NAMING SYSTEM

Across the entire range, you'll find the same logical naming structure, colour-coded grit sizes, and marking information – all to make your workday easier. Simply follow the system steps below to learn how to read the new structure.

① TACTI-POLISH ② T ③ T ④ W

1ST

PERFORMANCE LEVEL + APPLICATION

①

ELITE / VARI / TACTI

+

②

GRIND / POLISH / SHAVE

2ND

NAME WITH TWO LETTERS

④

T = TRANSITION

P = POLISH

B = BURNISHING

M = MAINTENANCE

E = ELITE

V = VARI

+

O = OVERLAY

C = CORNER

③

T = TACTI

S = SANDPAPER

F = FENIX OR FLEX

X = XPRESS

2ND LETTER INDICATES APPLICATION

3RD

TYPE OF ACTION

⑤

W = WET / D = DRY

EASY TO CHOOSE. EASY TO USE.

Get in the flow – and stay there. Our range features several improvements that make it easy to choose and use the right tool.



CLEARER BRANDING

A larger logo makes it easier than ever to identify Husqvarna products.

THREE PERFORMANCE LEVELS

Expect the right performance for each job. Choose from 3 clearly marked performance levels to find the perfect tool for your needs:

ELITE series
VARI series
TACTI series

SIMPLER PRODUCT NAMES

One straightforward naming system has been applied across the entire range, clearly indicating each tool's performance level, application, and action.

PLASTIC-FREE PACKAGING

All diamond tools are now packaged in cardboard. This ensures that all tools are protected, while reducing the use of plastic and waste at the construction site.

CONSISTENT COLOUR CODING


The grit sizes for all metal and resin tools are now indicated by a single colour-coding system.

CONSISTENT TOOL MARKINGS

Consistent marking information on the tools gives you all the information you need at a glance.

QUALITY ASSURED AT EVERY STEP

All our diamonds are custom made to meet the specific needs of each application. They are then tested and graded at our own sophisticated R&D laboratories. Every step, from purchasing to production to analysis, is overseen and quality assured by our own in-house team of diamond experts.



EZCHANGE™ ATTACHMENT SYSTEM

Minimise interruptions: All metal tools (and ELITE resin tools) now feature the patented EZchange™ attachment system.

EZchange™ ATTACHMENT SYSTEM: TOP 5 REASONS

Here are the top five reasons why the EZchange™ attachment system is best for your business.

1. LONGER LIFE & HIGHER PERFORMANCE

The EZchange™ series gives you the optimum ratio of lifespan to performance – no compromises. In addition, all our tools are manufactured using only the most sustainable raw materials and are cobalt-free.

2. WIDER RANGE OF APPLICATIONS

The ELITE-GRIND EZ series has a tool for all types of concrete floors, from extremely abrasive to the hardest concrete.

3. EASIER TO ACHIEVE GREAT RESULTS

Because the tools' segments cover a wider surface area, scratch patterns are more consistent. This makes it easier for less experienced operators to achieve great results when refining or polishing.

4. BETTER HEAT MANAGEMENT

The EZchange™ tool series is compatible with heat-dispersing Airflow tool holders. Keeping the tools cool reduces the risk of damaging the surface and creating inconsistent scratch patterns. Standard EZchange™ tool holders are also manufactured to efficiently disperse heat.

5. SMOOTHER WORKFLOW

The surface hardness and grit size have been optimised for each tool's intended application. This means you can continue to use the same grit size throughout the entire process within the same tool series, making tool selection easier and more intuitive.

NEW TOOL RANGE LINE-UP

METAL TOOLS

A metal tool for every grinding application, from removing the thickest floor coating to grinding the hardest concrete. All metal tools now feature the EZchange™ attachment system.

CONCRETE GRINDING – METAL TOOLS								
ELITE-SERIES								
Application	REMOVING THICK COATINGS	REMOVING THIN COATINGS	XSOFT CONCRETE	SOFT CONCRETE	MEDIUM CONCRETE	HARD CONCRETE	XHARD CONCRETE	XXHARD CONCRETE
Level	ELITE-GRIND	ELITE-GRIND	ELITE-GRIND	ELITE-GRIND	ELITE-GRIND	ELITE-GRIND	ELITE-GRIND	ELITE-GRIND
Tool Name	EZ T-REX® SUPER/DOME	EZ T-REX® O	EZ XS	EZ S	EZ M	EZ H	EZ X	EZ SHARXX
GRIT PCD								
GRIT #16								
GRIT #25								
GRIT #30								
GRIT #50								
GRIT #100								
Attachment	EZchange™ Wing	EZchange™ Wing	EZchange™ Wing	EZchange™ Wing	EZchange™ Wing	EZchange™ Wing	EZchange™ Wing	EZchange™ Wing
Dimension								
 WET	 DRY							

Contact your sales representative to find the right tool holder for your machine.

CONCRETE GRINDING - METAL TOOLS					SPECIAL APPLICATIONS	
VARI-SERIES				TACTI-SERIES	ELITE-SERIES	VARI-SERIES
REMOVING THICK COATINGS	SOFT CONCRETE	MEDIUM CONCRETE	HARD CONCRETE	MEDIUM CONCRETE	NATURAL STONE GRINDING	WOOD GRINDING
VARI-GRIND EZ	VARI-GRIND	VARI-GRIND	VARI-GRIND	TACTI-GRIND	ELITE-GRIND	VARI-GRIND
T-REX® CLASSIC	EZ S	EZ M	EZ H	EZ M	SGW	EZ SL
						
						
						
						
						
EZchange™ Wing	EZchange™ Wing	EZchange™ Wing	EZchange™ Wing	EZchange™ Wing	CROSS	EZchange™ Wing
6"9"/11"						

HUSQVARNA ELITE-GRIND EZ T-REX

The Elite-Grind EZ T-Rex is a series of PCD (polycrystalline diamond) tools for efficient and fast removal of a range of coatings. All sold as 3-pack except Elite-Grind Ring.



PRODUCT NUMBER	NAME	COATING REMOVAL
ELITE-GRIND EZ T-REX SUPER		
598 88 61-01	ELITE-GRIND EZ T-Rex SUPER L	1-3 mm
598 88 62-01	ELITE-GRIND EZ T-Rex SUPER L Protective segment	1-3 mm
598 88 63-01	ELITE-GRIND EZ T-Rex SUPER R	1-3 mm
598 88 64-01	ELITE-GRIND EZ T-Rex SUPER R Protective segment	1-3 mm
ELITE-GRIND EZ T-REX DOME		
598 88 59-01	EZ T-Rex™ Dome L Protective segment	>3 mm
598 88 60-01	EZ T-Rex™ Dome R Protective segment	>3 mm
ELITE-GRIND T-REX RING		
593 34 60-03	ELITE-GRIND Ring T-Rex L 270 mm	1-3 mm
593 34 60-04	ELITE-GRIND Ring T-Rex R 270 mm	1-3 mm

HUSQVARNA ELITE-GRIND EZ T-REX O

Elite-Grind EZ T-Rex O with crushed PCD (polycrystalline diamond) segments is an ideal choice for thin coating removal while leaving behind a moderately scratched surface. Sold as 3-pack.



PRODUCT NUMBER	NAME	SEGMENT	SEGMENT HEIGHT, MM	COATING REMOVAL
ELITE-GRIND T-REX O				
598 88 54-02	ELITE-GRIND EZ T-REX O	Double	13	0-2 mm

HUSQVARNA ELITE-GRIND EZ

The Elite-Grind EZ is a gold level series of tools with 6 different tools developed for concrete grinding. Sold as 3-pack.



PRODUCT NUMBER	NAME	COLOUR	SINGLE/DOUBLE/TRIPLE	SEGMENT HEIGHT, MM	GRIT SIZE (MESH)	MOH'S SCRATCH TEST
ELITE-GRIND EZ XS - For extra soft concrete						
546 32 91-01	ELITE-GRIND EZ XS25	Gold	Double	13	25	From 1 to 2
546 32 91-03	ELITE-GRIND EZ XS25	Gold	Triple	13	25	From 1 to 2
546 32 91-02	ELITE-GRIND EZ XS30	Grey	Double	13	30	From 1 to 2
546 32 91-04	ELITE-GRIND EZ XS30	Grey	Triple	13	30	From 1 to 2
ELITE-GRIND EZ S - For soft concrete						
598 88 56-02	ELITE-GRIND EZ S16	Orange	Double	13	16	From 2 to 3
598 88 20-02	ELITE-GRIND EZ S25	Gold	Double	13	25	From 2 to 3
598 88 21-02	ELITE-GRIND EZ S30	Grey	Double	13	30	From 2 to 3
598 88 22-02	ELITE-GRIND EZ S50	Brown	Double	13	50	From 2 to 3
598 88 23-02	ELITE-GRIND EZ S100	Black	Double	13	100	From 2 to 3
ELITE-GRIND EZ M - For medium concrete						
598 88 57-02	ELITE-GRIND EZ M16	Orange	Double	13	16	From 3 to 5
598 88 24-01	ELITE-GRIND EZ M25	Gold	Single	13	25	From 3 to 5
598 88 24-02	ELITE-GRIND EZ M25	Gold	Double	13	25	From 3 to 5
598 88 25-01	ELITE-GRIND EZ M30	Grey	Single	13	30	From 3 to 5
598 88 25-02	ELITE-GRIND EZ M30	Grey	Double	13	30	From 3 to 5
598 88 26-01	ELITE-GRIND EZ M50	Brown	Single	13	50	From 3 to 5
598 88 26-02	ELITE-GRIND EZ M50	Brown	Double	13	50	From 3 to 5
598 88 27-01	ELITE-GRIND EZ M100	Black	Single	13	100	From 3 to 5
598 88 27-02	ELITE-GRIND EZ M100	Black	Double	13	100	From 3 to 5
ELITE-GRIND EZ H - For hard concrete						
598 88 58-02	ELITE-GRIND EZ H16	Orange	Double	13	16	From 5 to 7
598 88 32-01	ELITE-GRIND EZ H25	Gold	Single	13	25	From 5 to 7
598 88 32-02	ELITE-GRIND EZ H25	Gold	Double	13	25	From 5 to 7
598 88 33-01	ELITE-GRIND EZ H30	Grey	Single	13	30	From 5 to 7
598 88 33-02	ELITE-GRIND EZ H30	Grey	Double	13	30	From 5 to 7
598 88 34-01	ELITE-GRIND EZ H50	Brown	Single	13	50	From 5 to 7
598 88 34-02	ELITE-GRIND EZ H50	Brown	Double	13	50	From 5 to 7
598 88 35-01	ELITE-GRIND EZ H100	Black	Single	13	100	From 5 to 7
598 88 35-02	ELITE-GRIND EZ H100	Black	Double	13	100	From 5 to 7
ELITE-GRIND EZ X - For extremely hard concrete						
598 88 40-01	ELITE-GRIND EZ X25	Gold	Single	13	25	From 7 to 9
598 88 40-02	ELITE-GRIND EZ X25	Gold	Double	13	25	From 7 to 9
598 88 41-01	ELITE-GRIND EZ X30	Grey	Single	13	30	From 7 to 9
598 88 41-02	ELITE-GRIND EZ X30	Grey	Double	13	30	From 7 to 9
598 88 42-01	ELITE-GRIND EZ X50	Brown	Single	13	50	From 7 to 9
598 88 42-02	ELITE-GRIND EZ X50	Brown	Double	13	50	From 7 to 9
598 88 43-01	ELITE-GRIND EZ X100	Black	Single	13	100	From 7 to 9
598 88 43-02	ELITE-GRIND EZ X100	Black	Double	13	100	From 7 to 9
ELITE-GRIND EZ SHARXX - For extremely hard concrete						
598 88 48-01	ELITE-GRIND EZ SHARXX25	Gold	Single	13	25	9 and above
598 88 48-02	ELITE-GRIND EZ SHARXX25	Gold	Double	13	25	9 and above
598 88 49-01	ELITE-GRIND EZ SHARXX30	Grey	Single	13	30	9 and above
598 88 49-02	ELITE-GRIND EZ SHARXX30	Grey	Double	13	30	9 and above
598 88 50-01	ELITE-GRIND EZ SHARXX50	Brown	Single	13	50	9 and above
598 88 50-02	ELITE-GRIND EZ SHARXX50	Brown	Double	13	50	9 and above

HUSQVARNA VARI-GRIND EZ T-REX CLASSIC

Vari-Grind EZ T-Rex Classic features double PCD (polycrystalline diamond) claws with or without protective segment.

This design enables efficient removal of soft contaminants leaving behind a moderately to highly scratched surface. Sold as 3-pack.



PRODUCT NUMBER	NAME	COATING REMOVAL
598 88 65-01	VARI-GRIND EZ T-REX Classic L	1-3 mm
598 88 66-01	VAR- GRIND EZ T-REX Classic L Protective segment	1-3 mm
598 88 67-01	VARI-GRIND EZ T-REX Classic R	1-3 mm
598 88 68-01	VARI-GRIND EZ T-REX Classic R Protective segment	1-3 mm

HUSQVARNA VARI-GRIND EZ

The Vari-Grind EZ is a silver level series of tools with 3 different tools developed for concrete grinding. Sold as 3-pack.



PRODUCT NUMBER	NAME	COLOUR	SINGLE/DOUBLE/TRIPLE	SEGMENT HEIGHT, MM	GRIT SIZE (MESH)	MOH'S SCRATCH TEST
VARI-GRIND EZ S – For soft concrete						
546 33 23-01	VARI-GRIND EZ S25	Gold	Double	11	25	From 2 to 3
546 33 23-02	VARI-GRIND EZ S50	Brown	Double	11	50	From 2 to 3
546 33 23-03	VARI-GRIND EZ S100	Black	Double	11	100	From 2 to 3
VARI-GRIND EZ M – For medium concrete						
546 33 24-11	VARI-GRIND EZ M25	Gold	Single	11	25	From 3 to 5
546 33 24-01	VARI-GRIND EZ M25	Gold	Double	11	25	From 3 to 5
546 33 24-12	VARI-GRIND EZ M50	Brown	Single	11	50	From 3 to 5
546 33 24-02	VARI-GRIND EZ M50	Brown	Double	11	50	From 3 to 5
546 33 24-13	VARI-GRIND EZ M100	Black	Single	11	100	From 3 to 5
546 33 24-03	VARI-GRIND EZ M100	Black	Double	11	100	From 3 to 5
VARI-GRIND EZ H – For hard concrete						
546 33 31-11	VARI-GRIND EZ H25	Gold	Single	11	25	From 5 to 7
546 33 31-01	VARI-GRIND EZ H25	Gold	Double	11	25	From 5 to 7
546 33 31-12	VARI-GRIND EZ H50	Brown	Single	11	50	From 5 to 7
546 33 31-02	VARI-GRIND EZ H50	Brown	Double	11	50	From 5 to 7
546 33 31-13	VARI-GRIND EZ H100	Black	Single	11	100	From 5 to 7
546 33 31-03	VARI-GRIND EZ H100	Black	Double	11	100	From 5 to 7

HUSQVARNA TACTI-GRIND EZ M

Tacti-Grind EZ M is designed for grinding medium concrete floors. This is part of our Bronze level for general use. Sold as 3-pack.



PRODUCT NUMBER	NAME	COLOUR	SINGLE/DOUBLE/TRIPLE	SEGMENT HEIGHT, MM	GRIT SIZE (MESH)	MOH'S SCRATCH TEST
547 22 94-01	TACTI-GRIND EZ M25	Gold	Double	9	25	From 3 to 5
547 22 94-02	TACTI-GRIND EZ M50	Brown	Double	9	50	From 3 to 5
547 22 94-03	TACTI-GRIND EZ M100	Black	Double	9	100	From 3 to 5

HUSQVARNA ELITE-GRIND SGW

Elite-Grind SGW is a metal bonded tool with a cross attachment system specifically designed to smoothly grind natural stone floors.



PRODUCT NUMBER	NAME	DIAMETER, MM	GRIT SIZE	CONNECTOR	COOLANT
593 34 51-01	ELITE-GRIND Cross SGW 25	160	25	Cross	Wet
593 34 52-01	ELITE-GRIND Cross SGW 30	160	30	Cross	Wet
593 34 53-01	ELITE-GRIND Cross SGW 50	160	50	Cross	Wet
593 34 54-01	ELITE-GRIND Cross SGW 100	160	100	Cross	Wet
593 34 51-02	ELITE-GRIND Cross SGW 25	220	25	Cross	Wet
593 34 52-02	ELITE-GRIND Cross SGW 30	220	30	Cross	Wet
593 34 53-02	ELITE-GRIND Cross SGW 50	220	50	Cross	Wet
593 34 54-02	ELITE-GRIND Cross SGW 100	220	100	Cross	Wet
593 34 51-03	ELITE-GRIND Cross SGW 25	270	25	Cross	Wet
593 34 52-03	ELITE-GRIND Cross SGW 30	270	30	Cross	Wet
593 34 53-03	ELITE-GRIND Cross SGW 50	270	50	Cross	Wet
593 34 54-03	ELITE-GRIND Cross SGW 100	270	100	Cross	Wet

HUSQVARNA VARI-GRIND EZ SL

Vari-Grind EZ SL is equipped with triple diamond segment for grinding rough wooden decks. Sold as 3-pack.



PRODUCT NUMBER	NAME	COLOUR	SEGMENT	GRIT SIZE (MESH)
598 88 70-01	VARI-GRIND EZ SL 25	Gold	Triple	25
598 88 71-01	VARI-GRIND EZ SL 30	Grey	Triple	30
598 88 72-01	VARI-GRIND EZ SL 50	Brown	Triple	50

OTHER METAL TOOLS

GRINDING DISCS (10"/250mm)

HUSQVARNA ELITE-GRIND DISC T-REX

Elite-Grind Disc T-Rex is a PCD disc with 12 PCD's + 6 protective segments.



PRODUCT NUMBER	DESCRIPTION	DIAMETER, MM	RECOMMENDED WITH
533 13 72-01	ELITE-GRIND DISC T-REX Prot 255	250	BG 250/BGS 250
534 24 78-01	ELITE-GRIND DISC T-REX Prot seg. 255	250	BG 250/BGS 250

HUSQVARNA ELITE-GRIND PREMIUM PLUS

Elite-Grind Premium+ is designed to deliver remarkable removal rates for a range of concrete surfaces.



PRODUCT NUMBER	DESCRIPTION	DIAMETER, MM	RECOMMENDED WITH	MOH'S SCRATCH TEST
534 60 23-01	ELITE-GRIND PREMIUM + S	250	BG 250/BGS 250	From 2 to 3
534 60 24-01	ELITE-GRIND PREMIUM + M	250	BG 250/BGS 250	From 4 to 5
534 60 26-01	ELITE-GRIND PREMIUM + H	250	BG 250/BGS 250	From 6 to 7
534 60 22-01	ELITE-GRIND PREMIUM + X	250	BG 250/BGS 250	8

HUSQVARNA VARI-GRIND ARROW

Vari-Grind Arrow is an aggressive grinding disc designed for removal on concrete floors.



PRODUCT NUMBER	DESCRIPTION	DIAMETER, MM	RECOMMENDED WITH	MOH'S SCRATCH TEST
534 30 05-01	VARI-GRIND ARROW S	250	BG 250/BGS 250	From 2 to 3
534 30 06-01	VARI-GRIND ARROW M	250	BG 250/BGS 250	From 4 to 5
533 17 42-01	VARI-GRIND ARROW H	250	BG 250/BGS 250	From 6 to 7
533 17 09-01	VARI-GRIND ARROW X	250	BG 250/BGS 250	8

HUSQVARNA VARI-GRIND STAR

Vari-Grind Star is a powerful grinding disc known for removal on concrete floors



PRODUCT NUMBER	DESCRIPTION	DIAMETER, MM	RECOMMENDED WITH	MOH'S SCRATCH TEST
534 24 80-01	VARI-GRIND STAR S	250	BG 250/BGS 250	From 2 to 3
534 24 82-01	VARI-GRIND STAR M	250	BG 250/BGS 250	From 4 to 5
534 24 83-01	VARI-GRIND STAR H	250	BG 250/BGS 250	From 6 to 7
534 24 79-01	VARI-GRIND STAR X	250	BG 250/BGS 250	8

HUSQVARNA TACTI-GRIND EURO

Tacti-Grind Euro is a grinding disc specifically designed for efficient removal of coatings less than 1 mm thick, as well as grinding concrete floors



PRODUCT NUMBER	DESCRIPTION	DIAMETER, MM	RECOMMENDED WITH	MOH'S SCRATCH TEST
534 44 34-01	TACTI-GRIND EURO S	250	BG 250/BGS 250	From 2 to 3
534 44 35-01	TACTI-GRIND EURO M	250	BG 250/BGS 250	From 4 to 5
534 44 36-01	TACTI-GRIND EURO H	250	BG 250/BGS 250	From 6 to 7
534 44 33-01	TACTI-GRIND EURO X	250	BG 250/BGS 250	8

BUSH HAMMER TOOLS

HUSQVARNA ELITE-HAMMER RAVAGER

The Elite-Hammer Ravager is designed with performance in mind. Whether it's for surface preparation, coating removal, or achieving the desired texture, our bush hammer tools are a reliable and efficient solution for enhancing concrete surfaces.



PRODUCT NUMBER	NAME	NO. OF ROLLS	RECOMMENDED WITH
531 28 99-18	ELITE-HAMMER cross RAVAGER 180	3	HTC 450
531 28 99-30	ELITE-HAMMER cross RAVAGER 230	3	HTC 5 series, HTC 6 series
531 28 99-70	ELITE-HAMMER cross RAVAGER 270-3	3	HTC 8 series, HTC 9 series
531 28 99-71	ELITE-HAMMER cross RAVAGER 270-6	6	HTC 8 series, HTC 9 series
531 29 23-18	ELITE-HAMMER head lock RAVAGER 180	3	PG 450
531 29 24-23	ELITE-HAMMER head lock RAVAGER 230	3	PG 5 series, PG 6 series
531 29 25-70	ELITE-HAMMER head lock RAVAGER 270-3	3	PG 6 series, PG 8 series
531 29 25-71	ELITE-HAMMER head lock RAVAGER 270-6	6	PG 6 series, PG 8 series

SHAVING DISCS

HUSQVARNA ELITE-SHAVE

Diamond blades with hexagonal borehole for shaving and grooving concrete surfaces.



PRODUCT NUMBER	DESCRIPTION	DIAMETER, MM	THICKNESS, MM	MACHINE APPLICATION
534 51 07-01	ELITE-SHAVE S 255	255	-	BMC 335 BMC 335RC
533 77 22-01	ELITE-SHAVE M 255	255	-	BMC 335 BMC 335RC
534 51 09-01	ELITE-SHAVE H 255	255	-	BMC 335 BMC 335RC
534 51 11-01	ELITE-SHAVE M 265	265	-	BMC 335 BMC 335RC
534 51 13-01	ELITE-SHAVE H 265	265	-	BMC 335 BMC 335RC
533 71 63-01	ELITE-SHAVE M 400	400	-	BMP 4000RC
534 85 62-01	Spacer (1 mm thickness)	-	1	BMC 335 BMC 335RC
533 07 82-01	Spacer (3 mm thickness)	-	3	BMC 335 BMC 335RC
534 85 68-01	Spacer (2.5 mm thickness)	-	2.5	BMP 4000RC
534 85 67-01	Spacer (3 mm thickness)	-	3	BMP 4000RC
533 86 72-01	Spacer (4 mm thickness)	-	4	BMP 4000RC

NAKED DRUM

PRODUCT NUMBER	DESCRIPTION	MACHINE APPLICATION
533 23 62-01	Shaving drum 335 mm large	BMC 335 BMC 335RC
533 19 66-01	Shaving drum 380 mm large	BMP 4000RC

COMPLETE DRUM



PRODUCT NUMBER	DESCRIPTION	MACHINE APPLICATION
534 81 95-01	Shaving drum complete with 80 ELITE-SHAVE S (blue blade)	BMC 335 BMC 335RC
533 47 36-01	Shaving drum complete with 80 ELITE-SHAVE M (green blade)	BMC 335 BMC 335RC
534 81 96-01	Shaving drum complete with 80 ELITE-SHAVE H (red blade)	BMC 335 BMC 335RC

SCARIFYING TOOLS

WHEELS AND CUTTERS

PRODUCT NUMBER	DESCRIPTION	DIAMETER, MM	THICKNESS, MM	MACHINE APPLICATION
543 04 02-14	Star wheel (processed steel) 60 x 2 mm	60	2	CG 200
543 04 02-09	Toothed wheel (processed steel) 62 x 5 mm	62	5	CG 200
543 04 02-16	Carbide wheel 56 x 6.5 mm	56	6.5	CG 200
543 04 02-17	Spacer (3 mm thickness)		3	CG 200
534 70 61-01	Milling cutter 5 pt. Ø15 x Ø42 x 22 mm	42	22	BMP 215 INC PETROL
534 42 04-01	Cutter 5 pt. Ø16 x Ø44 x 6 mm	44	6	BMP 215 INC PETROL
534 85 63-01	Spacer (1.5 mm thickness)		1.5	BMP 215 INC PETROL
534 85 71-01	Spacer (2.5 mm thickness)		2.5	BMP 215 INC PETROL
534 70 64-01	Milling cutter 6 pt. Ø19 x Ø55 x 20 mm	55	20	BMP 265 INC PETROL
533 87 31-01	Cutter 8 pt. Ø20 x Ø56 x 6 mm	56	6	BMP 265 INC PETROL
533 12 43-01	Spacer (3 mm thickness)		3	BMP 265 INC PETROL
533 12 41-01	Spacer (1.5 mm thickness)		1.5	BMP 265 INC PETROL
534 42 06-01	Cutter 8 pt. Ø30 x Ø80 x 8 mm	80	8	BMP 335
534 70 65-01	Milling cutter 6 pt. Ø30 x Ø80 x 20 mm	80	20	BMP 335
533 12 53-01	Cutter 12 pt. Ø30 x Ø77 x 8 mm	77	8	BMP 335
534 85 65-01	Spacer (4 mm thickness)		4	BMP 335
534 87 72-01	Support bush			BMP 335
533 12 77-01	Milling pick for concrete			BMP 4000RC
533 33 47-01	Milling pick for asphalt			BMP 4000RC

DRUMS WITH SHAFTS

PRODUCT NUMBER	DESCRIPTION	DIAMETER, MM	MACHINE APPLICATION
543 04 02-10	Drum 200 mm large		CG 200
543 04 02-11	Spare shaft		CG 200
534 53 44-01	Drum 215 mm large		BMP 215 INC PETROL
534 53 77-01	Spare shaft	12	BMP 215 INC PETROL
533 12 46-01	Drum 265 mm large		BMP 265 INC PETROL
534 53 71-01	Spare shaft	16	BMP 265 INC PETROL
533 87 36-01	Drum 335 mm large		BMP 335
534 53 79-01	Spare shaft	22	BMP 335
534 82 01-01	Drum 400 mm large - 60 picks		BMP 4000RC
534 82 00-01	Drum 400 mm large - 116 picks		BMP 4000RC

COMPLETE HEAD ASSEMBLY KITS

PRODUCT NUMBER	DESCRIPTION	DIAMETER, MM	THICKNESS, MM	MACHINE APPLICATION
543 04 02-21	160 star wheels and 164 spacers	60	2	CG 200
543 04 02-24	84 carbide wheels and 84 spacers	58	7	CG 200
535 63 31-01	Drum complete with milling cutters			BMP 215 INC PETROL
533 87 39-01	Drum complete with cutters			BMP 215 INC PETROL
533 51 90-01	Drum complete with milling cutters			BMP 265 INC PETROL
533 51 92-01	Drum complete with cutters			BMP 265 INC PETROL
534 43 15-01	Drum complete with cutters			BMP 335
533 12 73-01	Drum complete with milling cutters			BMP 335
534 44 45-01	Drum complete with cutters			BMP 335

NEW TOOL RANGE LINE-UP

RESIN TOOLS

Use our polishing pads and pucks to remove scratches on floors, polish, and add gloss to concrete, overlay, terrazzo and natural stone. The new range offers significant product enhancements, including tools with extended lifespan and convenient EZchange™ attachments.

CONCRETE HONING/POLISHING – RESIN TOOLS								
Application	ELITE-SERIES					VARI-SERIES		
	TRANSITIONAL PUCKS	TRANSITIONAL PADS	POLISHING PUCKS	POLISHING PADS	BURNISHING/ MAINTENANCE	TRANSITIONAL PUCKS	TRANSITIONAL PADS	POLISHING PUCKS
Level	ELITE-POLISH	ELITE-POLISH	ELITE-POLISH	ELITE-POLISH	ELITE-POLISH	VARI-POLISH	VARI-POLISH	VARI-POLISH
Tool Name	ET D	EFT W	EP D	EF D EF W	EB D/W EM D/W	VT D VT W	VP D VP W	VF D
GRIT #30								
GRIT #50								
GRIT #100								
GRIT #200								
GRIT #400								
GRIT #800								
GRIT #1500								
GRIT #3000								
Dimension	–	7"/9"/11"	–	7"/9"/11"	5"/7"/9"/11"/16" /17"/21"/24"/27"	3"	3"	7"/9"/11"
Attachment	EZchange™ Wing	EZchange™ Click	EZchange™ Wing	EZchange™ Click	EZchange™ Click/ VELCRO®	VELCRO®	VELCRO®	EZchange™ Click



WET



DRY

Contact your sales representative to find the right tool holder for your machine.

CONCRETE HONING/ POLISHING – RESIN TOOLS	
TACTI-SERIES	
TRANSITIONAL PUCKS	POLISHING PUCKS
TACTI-POLISH	TACTI-POLISH
TT W	TP D
	
	
	
	
	
	
	
3"	4"
VELCRO®	VELCRO®

SPECIAL APPLICATIONS		
ELITE-SERIES		VARI-SERIES
CEMENTITIOUS OVERLAY PUCKS	NATURAL STONE PADS	WOOD SANDING
ELITE-POLISH	ELITE-POLISH	VARI-POLISH
EO D	EX D	VS D
		
		
		
		
		
		
		
		
3"	7"/9"/11"	7"/9"
VELCRO®	EZchange™ Click	VELCRO®

*available also with GR 80
and 120

Contact your sales representative to find the right tool holder for your machine.

HUSQVARNA ELITE-POLISH ET D

Elite-Polish ET D is the ideal tool for transitioning seamlessly from metal to resin tools. This innovative solution reduces scratches and kickstarts the polishing process, particularly on surfaces that are too rough to begin directly with polishing tools. To be used for dry polishing. Sold as 3-pack.



PRODUCT NUMBER	NAME	COLOUR	GRIT SIZE
546 17 98-01	ELITE-POLISH ET 30 D	Grey	30
546 17 98-02	ELITE-POLISH ET 50 D	Brown	50
546 17 98-03	ELITE-POLISH ET 100 D	Black	100

HUSQVARNA ELITE-POLISH EFT W

Elite-Polish EFT W is the ideal solution for transitioning from metal to resin tools. Thanks to the flexible design these pads are well suited for multiple wet applications, particularly in scenarios where durability is a key consideration.



PRODUCT NUMBER	NAME	DIMENSION, MM	GRIT SIZE
546 37 27-01	ELITE-POLISH EFT 50 W	180	50
546 37 27-02	ELITE-POLISH EFT 100 W	180	100
546 27 27-03	ELITE-POLISH EFT 200 W	180	200
546 27 27-04	ELITE-POLISH EFT 50 W	230	50
546 27 27-05	ELITE-POLISH EFT 100 W	230	100
546 27 27-06	ELITE-POLISH EFT 200 W	230	200
546 27 27-07	ELITE-POLISH EFT 50 W	270	50
546 27 27-08	ELITE-POLISH EFT 100 W	270	100
546 27 27-09	ELITE-POLISH EFT 200 W	270	200

HUSQVARNA ELITE-POLISH EP D

Elite-Polish EP D is an exceptional tool designed to meet the needs of demanding professionals looking for the highest gloss results. Sold as 3-pack.



PRODUCT NUMBER	NAME	COLOUR	GRIT SIZE
546 15 70-01	ELITE-POLISH EP 30 D	Grey	30
546 15 70-02	ELITE-POLISH EP 50 D	Brown	50
546 15 70-03	ELITE-POLISH EP 100 D	Black	100
546 15 70-04	ELITE-POLISH EP 200 D	Blue	200
546 15 70-05	ELITE-POLISH EP 400 D	Red	400
546 15 70-06	ELITE-POLISH EP 800 D	White	800
546 15 70-07	ELITE-POLISH EP 1500 D	Yellow	1500
546 15 70-08	ELITE-POLISH EP 3000 D	Green	3000

HUSQVARNA ELITE-POLISH EF D

Elite-Polish EF D provides effortless and superior concrete polishing results in dry applications. This tool features a flexible backing that effortlessly follows the contours of any floor, including irregularities.



PRODUCT NUMBER	NAME	DIMENSION, MM	GRIT SIZE
529 64 08-01	ELITE-POLISH EF 100 D	180	100
529 64 09-01	ELITE-POLISH EF 200 D	180	200
529 64 10-01	ELITE-POLISH EF 400 D	180	400
529 64 11-01	ELITE-POLISH EF 800 D	180	800
529 64 12-01	ELITE-POLISH EF 1500 D	180	1500
529 64 07-01	ELITE-POLISH EF 3000 D	180	3000
529 64 08-02	ELITE-POLISH EF 100 D	230	100
529 64 09-02	ELITE-POLISH EF 200 D	230	200
529 64 10-02	ELITE-POLISH EF 400 D	230	400
529 64 11-02	ELITE-POLISH EF 800 D	230	800
529 64 12-02	ELITE-POLISH EF 1500 D	230	1500
529 64 07-02	ELITE-POLISH EF 3000 D	230	3000
529 64 08-03	ELITE-POLISH EF 100 D	270	100
529 64 09-03	ELITE-POLISH EF 200 D	270	200
529 64 10-03	ELITE-POLISH EF 400 D	270	400
529 64 11-03	ELITE-POLISH EF 800 D	270	800
529 64 12-03	ELITE-POLISH EF 1500 D	270	1500
529 64 07-03	ELITE-POLISH EF 3000 D	270	3000

HUSQVARNA ELITE-POLISH EF W

Elite-Polish EF D provides effortless and superior concrete polishing results in wet applications. These tools features a flexible backing that effortlessly follows the contours of any floor, including irregularities.



PRODUCT NUMBER	NAME	DIMENSION, MM	GRIT SIZE
546 37 27-10	ELITE-POLISH EF 200 W	180	200
546 37 27-11	ELITE-POLISH EF 400 W	180	400
546 37 27-12	ELITE-POLISH EF 800 W	180	800
546 37 27-13	ELITE-POLISH EF 1500 W	180	1500
546 37 27-14	ELITE-POLISH EF 3000 W	180	3000
546 37 27-15	ELITE-POLISH EF 200 W	230	200
546 37 27-16	ELITE-POLISH EF 400 W	230	400
546 37 27-17	ELITE-POLISH EF 800 W	230	800
546 37 27-18	ELITE-POLISH EF 1500 W	230	1500
546 37 27-19	ELITE-POLISH EF 3000 W	230	3000
546 37 27-20	ELITE-POLISH EF 200 W	270	200
546 37 27-21	ELITE-POLISH EF 400 W	270	400
546 37 27-22	ELITE-POLISH EF 800 W	270	800
546 37 27-23	ELITE-POLISH EF 1500 W	270	1500
546 37 27-24	ELITE-POLISH EF 3000 W	270	3000

HUSQVARNA ELITE-POLISH EB/EM D/W

Elite-Polish EB/EM D are diamond impregnated pads, ideal for enhancing glossiness and facilitating maintenance. This comprehensive range offers high performance solutions that integrate with scrubbing machines and high-speed burnishers. Thanks to their design, these pads feature a flexible backing, allowing them to effortlessly adapt to any floor irregularities.



PRODUCT NUMBER	NAME	DIMENSION, MM	GRIT SIZE (MESH)
546 18 39-01	ELITE-POLISH EB 400 D/W	125	400
546 18 39-02	ELITE-POLISH EB 800 D/W	125	800
546 18 39-03	ELITE-POLISH EB 1500 D/W	125	1500
546 18 39-04	ELITE-POLISH EB 3000 D/W	125	3000
546 18 39-05	ELITE-POLISH EB 400 D/W	180	400
546 18 39-06	ELITE-POLISH EB 800 D/W	180	800
546 18 39-07	ELITE-POLISH EB 1500 D/W	180	1500
546 18 39-08	ELITE-POLISH EB 3000 D/W	180	3000
546 18 39-09	ELITE-POLISH EB 400 D/W	230	400
546 18 39-10	ELITE-POLISH EB 800 D/W	230	800
546 18 39-11	ELITE-POLISH EB 1500 D/W	230	1500
546 18 39-12	ELITE-POLISH EB 3000 D/W	230	3000
546 18 39-13	ELITE-POLISH EB 400 D/W	270	400
546 18 39-14	ELITE-POLISH EB 800 D/W	270	800
546 18 39-15	ELITE-POLISH EB 1500 D/W	270	1500
546 18 39-16	ELITE-POLISH EB 3000 D/W	270	3000
546 18 39-17	ELITE-POLISH EM 400 D/W	400	400
546 18 39-18	ELITE-POLISH EM 800 D/W	400	800
546 18 39-19	ELITE-POLISH EM 1500 D/W	400	1500
546 18 39-20	ELITE-POLISH EM 3000 D/W	400	3000
546 18 39-21	ELITE-POLISH EM 400 D/W	430	400
546 18 39-22	ELITE-POLISH EM 800 D/W	430	800
546 18 39-23	ELITE-POLISH EM 1500 D/W	430	1500
546 18 39-24	ELITE-POLISH EM 3000 D/W	430	3000
546 18 39-25	ELITE-POLISH EM 400 D/W	530	400
546 18 39-26	ELITE-POLISH EM 800 D/W	530	800
546 18 39-27	ELITE-POLISH EM 1500 D/W	530	1500
546 18 39-28	ELITE-POLISH EM 3000 D/W	530	3000
546 18 39-29	ELITE-POLISH EM 400 D/W	600	400
546 18 39-30	ELITE-POLISH EM 800 D/W	600	800
546 18 39-31	ELITE-POLISH EM 1500 D/W	600	1500
546 18 39-32	ELITE-POLISH EM 3000 D/W	600	3000
546 18 39-33	ELITE-POLISH EM 400 D/W	685	400
546 18 39-34	ELITE-POLISH EM 800 D/W	685	800
546 18 39-35	ELITE-POLISH EM 1500 D/W	685	1500
546 18 39-36	ELITE-POLISH EM 3000 D/W	685	3000

HUSQVARNA VARI-POLISH VT D

The Vari-Polish VT D stands out as the optimal choice for a transition tool, offering an excellent balance between performance and price. Specifically designed for dry applications, it effectively minimises scratches and serves as the ideal starting point for the polishing process.



PRODUCT NUMBER	NAME	COLOUR	DIMENSION, MM	GRIT SIZE
546 83 29-01	VARI-POLISH VT 30 D	Grey	75	30
546 83 29-02	VARI-POLISH VT 50 D	Brown	75	50
546 83 29-03	VARI-POLISH VT 100 D	Black	75	100
546 83 29-04	VARI-POLISH VT 200 D	Blue	75	200
546 83 29-05	VARI-POLISH VT 400 D	Red	75	400

HUSQVARNA VARI-POLISH VT W

The Vari-Polish VT W stands out as the optimal choice for a transition tool, offering an excellent balance between performance and price. Specifically designed for wet applications, it effectively minimises scratches and serves as the ideal starting point for the polishing process.



PRODUCT NUMBER	NAME	COLOUR	DIMENSION, MM	GRIT SIZE
542 86 81-30	VARI-POLISH VT 50 W	Brown	75	50
542 86 81-31	VARI-POLISH VT 100 W	Black	75	100
542 86 81-32	VARI-POLISH VT 200 W	Blue	75	200
542 86 81-33	VARI-POLISH VT 400 W	Red	75	400

HUSQVARNA VARI-POLISH VP D

The Vari-Polish VP D is designed to meet your polishing needs and tailored for dry polishing processes



PRODUCT NUMBER	NAME	COLOUR	DIMENSION, MM	GRIT SIZE
546 68 10-01	VARI-POLISH VP 50 D	Brown	75	50
546 68 10-02	VARI-POLISH VP 100 D	Black	75	100
546 68 10-03	VARI-POLISH VP 200 D	Blue	75	200
546 68 10-04	VARI-POLISH VP 400 D	Red	75	400
546 68 10-05	VARI-POLISH VP 800 D	White	75	800
546 68 10-06	VARI-POLISH VP 1500 D	Yellow	75	1500
546 68 10-07	VARI-POLISH VP 3000 D	Green	75	3000

HUSQVARNA VARI-POLISH VP W

The Vari-Polish VP D is designed to meet your polishing needs and tailored for wet polishing processes



PRODUCT NUMBER	NAME	COLOUR	DIMENSION, MM	GRIT SIZE
546 68 05-01	VARI-POLISH VP 50 W	Brown	75	50
546 68 05-02	VARI-POLISH VP 100 W	Black	75	100
546 68 05-03	VARI-POLISH VP 200 W	Blue	75	200
546 68 05-04	VARI-POLISH VP 400 W	Red	75	400
546 68 05-05	VARI-POLISH VP 800 W	White	75	800
546 68 05-06	VARI-POLISH VP 1500 W	Yellow	75	1500
546 68 05-07	VARI-POLISH VP 3000 W	Green	75	3000

HUSQVARNA VARI-POLISH VF D

The Vari-Polish VF D not only excels in delivering impressive results but also serves as a reliable troubleshooter for various issues. This competitively priced product eliminates the stress of polishing while offering a comprehensive range of grit sizes.



PRODUCT NUMBER	NAME	COLOUR	DIMENSION, MM	GRIT SIZE
546 11 32-01	VARI-POLISH VF 30 D	Grey	180	30
546 11 32-02	VARI-POLISH VF 50 D	Brown	180	50
546 11 32-03	VARI-POLISH VF 100 D	Black	180	100
546 11 32-04	VARI-POLISH VF 200 D	Blue	180	200
546 11 32-05	VARI-POLISH VF 400 D	Red	180	400
546 11 32-06	VARI-POLISH VF 800 D	White	180	800
546 11 31-07	VARI-POLISH VF 1500 D	Yellow	180	1500
546 11 32-08	VARI-POLISH VF 3000 D	Green	180	3000
546 11 31-01	VARI-POLISH VF 30 D	Grey	230	30
546 11 31-02	VARI-POLISH VF 50 D	Brown	230	50
546 11 31-03	VARI-POLISH VF 100 D	Black	230	100
546 11 31-04	VARI-POLISH VF 200 D	Blue	230	200
546 11 31-05	VARI-POLISH VF 400 D	Red	230	400
546 11 31-06	VARI-POLISH VF 800 D	White	230	800
546 11 31-07	VARI-POLISH VF 1500 D	Yellow	230	1500
546 11 31-08	VARI-POLISH VF 3000 D	Green	230	3000
546 11 30-01	VARI-POLISH VF 30 D	Grey	270	30
546 11 30-02	VARI-POLISH VF 50 D	Brown	270	50
546 11 30-03	VARI-POLISH VF 100 D	Black	270	100
546 11 30-04	VARI-POLISH VF 200 D	Blue	270	200
546 11 30-05	VARI-POLISH VF 400 D	Red	270	400
546 11 30-06	VARI-POLISH VF 800 D	White	270	800
546 11 30-07	VARI-POLISH VF 1500 D	Yellow	270	1500
546 11 30-08	VARI-POLISH VF 3000 D	Green	270	3000

HUSQVARNA TACTI-POLISH TT W

Tacti-Polish TT W is part of our cost-effective entry-level polishing pucks. These tools effectively reduce scratches and serve as a starting point for the polishing process when the surface is too rough to begin directly with polishing tools.



PRODUCT NUMBER	NAME	COLOUR	DIMENSION, MM	GRIT SIZE
546 68 03-01	TACTI-POLISH TT 50 W	Brown	75	50
546 68 03-02	TACTI-POLISH TT 100 W	Black	75	100
546 68 03-03	TACTI-POLISH TT 200 W	Blue	75	200

HUSQVARNA TACTI-POLISH TP D

The versatile Tacti-Polish TP D is part of our cost-effective entry-level polishing pucks. This competitively priced product is designed to assist you in achieving stress-free polishing, offering a comprehensive range of grit sizes.



PRODUCT NUMBER	NAME	COLOUR	DIMENSION, MM	GRIT SIZE
529 32 57-01	TACTI-POLISH TP 50 D	Brown	105	50
529 32 57-02	TACTI-POLISH TP 100 D	Black	105	100
529 32 57-03	TACTI-POLISH TP 200 D	Blue	105	200
529 32 57-04	TACTI-POLISH TP 400 D	Red	105	400
529 32 57-05	TACTI-POLISH TP 800 D	White	105	800
529 32 57-06	TACTI-POLISH TP 1500 D	Yellow	105	1500
529 32 57-07	TACTI-POLISH TP 3000 D	Green	105	3000

HUSQVARNA ELITE POLISH EO D

Elite-Polish EO D is crafted to meet the unique demands of overlay applications. This high-performance honing tool is engineered to deliver exceptional results in dry applications.



PRODUCT NUMBER	NAME	COLOUR	DIMENSION, MM	GRIT SIZE
546 69 08-01	ELITE-POLISH EO 50 D	Brown	75	50
546 69 08-02	ELITE-POLISH EO 100 D	Black	75	100
546 69 08-03	ELITE-POLISH EO 200 D	Blue	75	200

HUSQVARNA ELITE-POLISH EX D

The Elite-Polish EX D is our top-of-the line system for natural stone surfaces such as marble and terrazzo.



PRODUCT NUMBER	NAME	COLOUR	DIMENSION, MM	GRIT SIZE
546 11 15-01	ELITE-POLISH EX 30 D	Grey	180	30
546 11 15-02	ELITE-POLISH EX 50 D	Brown	180	50
546 11 15-03	ELITE-POLISH EX 100 D	Black	180	100
546 11 15-04	ELITE-POLISH EX 200 D	Blue	180	200
546 11 15-05	ELITE-POLISH EX 400 D	Red	180	400
546 11 15-06	ELITE-POLISH EX 800 D	White	180	800
546 11 15-07	ELITE-POLISH EX 1500 D	Yellow	180	1500
546 11 15-08	ELITE-POLISH EX 3000 D	Green	180	3000
546 11 10-01	ELITE-POLISH EX 30 D	Grey	230	30
546 11 10-02	ELITE-POLISH EX 50 D	Brown	230	50
546 11 10-03	ELITE-POLISH EX 100 D	Black	230	100
546 11 10-04	ELITE-POLISH EX 200 D	Blue	230	200
546 11 10-05	ELITE-POLISH EX 400 D	Red	230	400
546 11 10-06	ELITE-POLISH EX 800 D	White	230	800
546 11 10-07	ELITE-POLISH EX 1500 D	Yellow	230	1500
546 11 10-08	ELITE-POLISH EX 3000 D	Green	230	3000
546 11 03-01	ELITE-POLISH EX 30 D	Grey	270	30
546 11 03-02	ELITE-POLISH EX 50 D	Brown	270	50
546 11 03-03	ELITE-POLISH EX 100 D	Black	270	100
546 11 03-04	ELITE-POLISH EX 200 D	Blue	270	200
546 11 03-05	ELITE-POLISH EX 400 D	Red	270	400
546 11 03-06	ELITE-POLISH EX 800 D	White	270	800
546 11 03-07	ELITE-POLISH EX 1500 D	Yellow	270	1500
546 11 03-08	ELITE-POLISH EX 3000 D	Green	270	3000

HUSQVARNA VARI-POLISH VS D

Specialised tools designed for sanding wooden floors.



PRODUCT NUMBER	NAME	DIMENSION, MM	GRIT SIZE
593 34 36-01	VARI-POLISH VS 30 D	180	30
593 34 37-01	VARI-POLISH VS 50 D	180	50
593 34 38-01	VARI-POLISH VS 80 D	180	80
593 34 39-01	VARI-POLISH VS 100 D	180	100
593 34 40-02	VARI-POLISH VS 120 D	180	120
593 34 36-02	VARI-POLISH VS 30 D	230	30
593 34 37-02	VARI-POLISH VS 50 D	230	50
593 34 38-02	VARI-POLISH VS 80 D	230	80
593 34 39-02	VARI-POLISH VS 100 D	230	100
593 34 40-03	VARI-POLISH VS 120 D	230	120

NEW TOOL RANGE LINE-UP


HANDHELD TOOLS

Our cup wheels and resin tools for handheld and angle grinders are used for everything from floor coating removal to grinding and polishing different types of concrete and natural stone. The full range has been streamlined for removing, grinding, and polishing. Names combine the level of performance (ELITE/ VARI/ TACTI) with the shape of the diamond segments (Arrow, Double Row, Turbo, Single Row, and Spiral).

Application	CONCRETE AND NATURAL STONE GRINDING METAL TOOLS										
	ELITE-SERIES				VARI-SERIES				TACTI-SERIES		
	REMOVING THICK COATINGS	REMOVING THIN COATINGS	MEDIUM CONCRETE & NATURAL STONES	HARD CONCRETE & NATURAL STONES	REMOVING THIN COATINGS	SOFT CONCRETE & NATURAL STONES	MEDIUM CONCRETE & NATURAL STONES	HARD CONCRETE & NATURAL STONES	SOFT CONCRETE & NATURAL STONES	MEDIUM CONCRETE & NATURAL STONES	HARD CONCRETE & NATURAL STONES
Level	ELITE-GRIND	ELITE-GRIND	ELITE-GRIND	ELITE-GRIND	VARI-GRIND	VARI-GRIND	VARI-GRIND	VARI-GRIND	TACTI-GRIND	TACTI-GRIND	TACTI-GRIND
Tool Name	T-REX® SUPER	T-REX® 0	STAR M	STAR H	ARROW	DOUBLE S	TURBO M	SINGLE/ SPIRAL H	DOUBLE S	TURBO M	SINGLE H
GRIT PCD											
GRIT #25											
GRIT #30											
GRIT #50											
GRIT #100											
Dimension	3"/75mm, 5"/125mm, 7"/180mm	5"/125mm, 7"/180mm	5"/125mm, 7"/180mm	5"/125mm, 7"/180mm	4"/105mm, 5"/125mm, 7"/180mm	4"/105mm, 4.5"/115mm, 5"/125mm, 7"/180mm	4"/105mm, 4.5"/115mm, 5"/125mm, 7"/180mm	3"/75mm, 4"/105mm, 4.5"/115mm, 5"/125mm, 6"/150mm, 7"/180mm	4"/105mm, 4.5"/115mm, 5"/125mm, 7"/180mm	4"/105mm, 4.5"/115mm, 5"/125mm, 7"/180mm	4"/105mm, 4.5"/115mm, 5"/125mm, 7"/180mm
Bore Available	7/8"	7/8"	7/8"	7/8"	7/8"; 5/8 - 11 THD	7/8"; 7/8" - 5/8" B; 5/8 - 11 THD	7/8"; 7/8" - 5/8" B; 5/8 - 11 THD	7/8"; 7/8" - 5/8" B; 5/8 - 11 THD; 3/4"	1" - 7/8" B	1" - 7/8" B	1" - 7/8" B

Note: THD = Thread; B = Bushing

Contact your sales representative to find the right tool holder for your machine.

CONCRETE POLISHING - RESIN TOOLS						SPECIAL APPLICATIONS	
ELITE-SERIES		VARI-SERIES		TACTI-SERIES		ELITE-SERIES	VARI-SERIES
POLISHING HANDHELD		POLISHING HANDHELD		POLISHING HANDHELD		RESIN TRANSITION	CORNER POLISHING PADS
ELITE-POLISH		VARI-POLISH		TACTI-POLISH		ELITE-GRIND	VARI-POLISH
EP EDGE D		VP EDGE D VP EDGE W		TF EDGE D		TRANSITION	VC D
GRIT #30							
GRIT #50							
GRIT #100							
GRIT #200							
GRIT #400							
GRIT #800							
GRIT #1500							
GRIT #3000							
Dimension	-		-		-	5/7"	-
Attachment							VELCRO®
 WET  DRY							

Contact your sales representative to find the right tool holder for your machine.

GRINDING TOOLS

HUSQVARNA ELITE-GRIND T-REX SUPER

Elite-Grind T-Rex Super is a PCD designed for highly aggressive removal of 1-3 mm of material.



PRODUCT NUMBER	NAME	DIAMETER, MM
529 85 93-05	ELITE-GRIND T-REX SUPER	75
529 85 93-25	ELITE-GRIND T-REX SUPER	125
529 85 93-80	ELITE-GRIND T-REX SUPER	180

HUSQVARNA ELITE-GRIND T-REX O

Elite-Grind T-Rex O is a PCD designed for removal of material less than 1mm.



PRODUCT NUMBER	NAME	DIAMETER, MM
546 72 30-25	ELITE-GRIND T-REX O	125
546 72 31-25	ELITE-GRIND T-REX O	180

HUSQVARNA ELITE-GRIND STAR M

Elite-Grind Star M are expertly crafted to provide enhanced removal capabilities and a longer lifespan when used on abrasive surfaces.



PRODUCT NUMBER	NAME	DIAMETER, MM	GRIT SIZE
529 85 63-25	ELITE-GRIND STAR M	125	25
529 85 65-25	ELITE-GRIND STAR M	125	30
529 85 66-25	ELITE-GRIND STAR M	125	50
529 85 67-25	ELITE-GRIND STAR M	125	100
529 85 63-80	ELITE-GRIND STAR M	180	25
529 85 65-80	ELITE-GRIND STAR M	180	30
529 85 66-80	ELITE-GRIND STAR M	180	50
529 85 67-80	ELITE-GRIND STAR M	180	100

HUSQVARNA ELITE-GRIND STAR H

Elite-Grind Star H is specifically designed for hard floors, this tool excels in delivering superior removal capabilities.



PRODUCT NUMBER	NAME	DIAMETER, MM	GRIT SIZE
529 85 68-25	ELITE-GRIND STAR H	125	25
529 85 69-25	ELITE-GRIND STAR H	125	30
529 85 70-25	ELITE-GRIND STAR H	125	50
529 85 71-25	ELITE-GRIND STAR H	125	100
529 85 68-80	ELITE-GRIND STAR H	180	25
529 85 69-80	ELITE-GRIND STAR H	180	30
529 85 70-80	ELITE-GRIND STAR H	180	50
529 85 71-80	ELITE-GRIND STAR H	180	100

HUSQVARNA VARI-GRIND ARROW O

Vari-Grind Arrow O has an arrow shape segment, which is specifically designed to enhance material penetration, allowing the cup wheel to achieve excellent results in coating removal.



PRODUCT NUMBER	NAME	DIAMETER, MM	CONNECTOR
546 40 29-07	VARI-GRIND ARROW O	105	5/8 - 11 THD
546 40 33-04	VARI-GRIND ARROW O	105	7/8
546 40 30-04	VARI-GRIND ARROW O	125	5/8 - 11 THD
546 40 38-05	VARI-GRIND ARROW O	125	7/8
546 40 31-05	VARI-GRIND ARROW O	180	5/8 - 11 THD
546 40 32-07	VARI-GRIND ARROW O	180	7/8

HUSQVARNA VARI-GRIND DOUBLE S

Vari-Grind Double S is developed to cater for the needs of versatile professionals who work in diverse conditions. Its double segment shape offers the advantage of working at a slower pace of material removal.



PRODUCT NUMBER	NAME	DIAMETER, MM	CONNECTOR
585 32 71-19	VARI-GRIND DOUBLE S	105	5/8 - 11 THD
542 77 30-77	VARI-GRIND DOUBLE S	105	7/8 - 5/8 B
579 82 15-30	VARI-GRIND DOUBLE S	115	7/8
579 82 15-40	VARI-GRIND DOUBLE S	125	7/8
585 32 71-20	VARI-GRIND DOUBLE S	180	5/8 - 11 THD
542 77 30-80	VARI-GRIND DOUBLE S	180	7/8 - 5/8 B
579 52 15-60	VARI-GRIND DOUBLE S	180	7/8
585 32 71-08	VARI-GRIND DOUBLE+ S	105	5/8 - 11 THD
542 75 13-07	VARI-GRIND DOUBLE+ S	105	7/8 - 5/8 B
585 32 71-09	VARI-GRIND DOUBLE+ S	125	5/8 - 11 THD
542 75 13-13	VARI-GRIND DOUBLE + S	125	7/8 - 5/8 B
585 32 71-10	VARI-GRIND DOUBLE + S	180	5/8 - 11 THD
542 75 13-18	VARI-GRIND DOUBLE + S	180	7/8 - 5/8 B

HUSQVARNA VARI-GRIND TURBO M

Vari-Grind Turbo M is developed to cater for the varying needs of professionals who work in diverse conditions. The Turbo segment is specifically designed to strike a perfect balance between a medium lifespan and efficient material removal.



PRODUCT NUMBER	NAME	DIAMETER, MM	CONNECTOR
585 32 71-21	VARI-GRIND TURBO M	105	5/8 - 11 THD
542 77 30-78	VARI-GRIND TURBO M	105	7/8 - 5/8 B
579 82 14-30	VARI-GRIND TURBO M	115	7/8
579 82 14-40	VARI-GRIND TURBO M	125	7/8
585 32 71-22	VARI-GRIND TURBO M	180	5/8 - 11 THD
579 82 14-60	VARI-GRIND TURBO M	180	7/8
542 77 30-81	VARI-GRIND TURBO M	180	7/8 - 5/8 B
585 32 71-11	VARI-GRIND TURBO+ M	105	5/8 - 11 THD
542 75 13-08	VARI-GRIND TURBO+ M	105	7/8 - 5/8 B
585 32 71-12	VARI-GRIND TURBO+ M	125	5/8 - 11 THD
585 32 71-13	VARI-GRIND TURBO+ M	180	5/8 - 11 THD
542 75 13-19	VARI-GRIND TURBO+ M	180	7/8 - 5/8 B

HUSQVARNA VARI-GRIND SINGLE H

Vari-Grind Single H features a single row segment shape, which optimises cutting performance, enabling efficient material removal while ensuring long-lasting durability even under demanding conditions.



PRODUCT NUMBER	NAME	DIAMETER, MM	CONNECTOR
585 32 71-17	VARI-GRIND SINGLE H	105	5/8 - 11 THD
542 77 30-76	VARI-GRIND SINGLE H	105	7/8 - 5/8 B
585 32 71-18	VARI-GRIND SINGLE H	180	5/8 - 11 THD
579 82 13-60	VARI-GRIND SINGLE H	180	7/8 - 5/8 B
546 33 32-05	VARI-GRIND SINGLE+ H	85	7/8
585 32 71-05	VARI-GRIND SINGLE+ H	105	5/8 - 11 THD
542 75 13-06	VARI-GRIND SINGLE+ H	105	7/8 - 5/8 B
585 32 71-06	VARI-GRIND SINGLE+ H	125	5/8 - 11 THD
542 75 13-12	VARI-GRIND SINGLE+ H	125	7/8 - 5/8 B
585 32 71-07	VARI-GRIND SINGLE+ H	180	5/8 - 11 THD
542 75 13-17	VARI-GRIND SINGLE+ H	180	7/8 - 5/8 B

HUSQVARNA VARI-GRIND SPIRAL H

Vari-Grind Spiral H is a specific variant with a grit size of 30, offering a remarkable combination of short lifespan and exceptional removal speed. It provides an accelerated material removal rate, allowing for faster progress.



PRODUCT NUMBER	NAME	DIAMETER, MM	CONNECTOR
579 82 11-01	VARI-GRIND SPIRAL H	105	7/8
579 82 11-30	VARI-GRIND SPIRAL H	115	7/8
579 82 11-40	VARI-GRIND SPIRAL H	125	7/8
579 82 11-50	VARI-GRIND SPIRAL H	150	3/4
579 82 11-60	VARI-GRIND SPIRAL H	180	7/8

HUSQVARNA TACTI-GRIND DOUBLE S

Tacti-Grind Double S provides an excellent performance-to-price ratio, making it an ideal option for occasional use. The double row segment shape provides longer life and low pace removal.



PRODUCT NUMBER	NAME	DIAMETER, MM	CONNECTOR
582 24 23-22	TACTI-GRIND DOUBLE S	105	1 - 7/8 B
582 24 23-30	TACTI-GRIND DOUBLE S	115	1 - 7/8 B
582 24 23-40	TACTI-GRIND DOUBLE S	125	1 - 7/8 B
582 24 23-60	TACTI-GRIND DOUBLE S	180	1 - 7/8 B

HUSQVARNA TACTI-GRIND TURBO M

Vari-Grind Spiral H is a specific cup wheel with a grit size of 30, offering a remarkable combination of short lifespan and exceptional removal speed. It provides an accelerated material removal rate, allowing for faster progress.



PRODUCT NUMBER	NAME	DIAMETER, MM	CONNECTOR
582 24 22-22	TACTI-GRIND TURBO M	105	1 - 7/8 B
582 24 22-30	TACTI-GRIND TURBO M	115	1 - 7/8 B
582 24 22-40	TACTI-GRIND TURBO M	125	1 - 7/8 B
582 24 22-60	TACTI-GRIND TURBO M	180	1 - 7/8 B

HUSQVARNA TACTI-GRIND SINGLE H

Tacti-Grind Single H is part of our Bronze series of cup wheels. It provides an excellent performance-to-price ratio. The single row segment shape provides high removal speed when working with hard materials.



PRODUCT NUMBER	NAME	DIAMETER, MM	CONNECTOR
582 23 89-40	TACTI-GRIND SINGLE H	125	1 - 7/8 B
582 23 89-60	TACTI-GRIND SINGLE H	180	1 - 7/8 B

RESIN TOOLS

HUSQVARNA ELITE-POLISH EP EDGE D

Elite-Polish EP Edge D is our finest professional polishing tool designed specifically for handheld machines. This tool is meticulously crafted to deliver outstanding performance in handheld applications. The complete range of specific resin options provides unrivaled flexibility, allowing you to attain maximum gloss with fewer steps.



PRODUCT NUMBER	NAME	DIAMETER, MM	GRIT SIZE
529 86 01-03	ELITE-POLISH EP EDGE 30 D	125	30
529 86 01-04	ELITE-POLISH EP EDGE 50 D	125	50
529 86 01-05	ELITE-POLISH EP EDGE 100 D	125	100
529 86 01-06	ELITE-POLISH EP EDGE 200 D	125	200
529 86 01-07	ELITE-POLISH EP EDGE 400 D	125	400
529 86 01-08	ELITE-POLISH EP EDGE 800 D	125	800
529 86 01-09	ELITE-POLISH EP EDGE 1500 D	125	1500
529 86 01-10	ELITE-POLISH EP EDGE 3000 D	125	3000

HUSQVARNA VARI-POLISH VP EDGE D

Vari-Polish VP Edge D is designed to meet your polishing needs and tailored for dry handheld polishing. The VELCRO® brand attachment provides universal compatibility, allowing you to effortlessly use this product on all types of machines.



PRODUCT NUMBER	NAME	DIAMETER, MM	GRIT SIZE
546 69 01-01	VARI POLISH VP EDGE 50 D	125	50
546 69 01-02	VARI POLISH VP EDGE 100 D	125	100
546 69 01-03	VARI POLISH VP EDGE 200 D	125	200
546 69 01-04	VARI POLISH VP EDGE 400 D	125	400
546 69 01-05	VARI POLISH VP EDGE 800 D	125	800
546 69 01-06	VARI POLISH VP EDGE 1500 D	125	1500
546 69 01-07	VARI POLISH VP EDGE 3000 D	125	3000

HUSQVARNA VARI-POLISH VP EDGE W

Vari-Polish VP Edge D is designed to meet your polishing needs and tailored for wet handheld polishing. The VELCRO® brand attachment provides universal compatibility, allowing you to effortlessly use this product on all types of machines.



PRODUCT NUMBER	NAME	DIAMETER, MM	GRIT SIZE
546 68 19-01	VARI POLISH VP EDGE 50 W	125	50
546 68 19-02	VARI POLISH VP EDGE 100 W	125	100
546 68 19-03	VARI POLISH VP EDGE 200 W	125	200
546 68 19-04	VARI POLISH VP EDGE 400 W	125	400
546 68 19-05	VARI POLISH VP EDGE 800 W	125	800
546 68 19-06	VARI POLISH VP EDGE 1500 W	125	1500
546 68 19-07	VARI POLISH VP EDGE 3000 W	125	3000

HUSQVARNA TACTI-POLISH TF EDGE D

The versatile Tacti-Polish TF Edge D is part of our cost-effective entry-level polishing tools designed specifically for handheld use. This product is perfect for those seeking a budget-friendly option that delivers stress-free polishing, offering all available grit sizes to accommodate your entire polishing process.



PRODUCT NUMBER	NAME	DIAMETER, MM	GRIT SIZE
546 11 33-01	TACTI-POLISH TF EDGE 30 D	125	30
546 11 33-02	TACTI-POLISH TF EDGE 50 D	125	50
546 11 33-03	TACTI-POLISH TF EDGE 100 D	125	100
546 11 33-04	TACTI-POLISH TF EDGE 200 D	125	200
546 11 33-05	TACTI-POLISH TF EDGE 400 D	125	400
546 11 33-06	TACTI-POLISH TF EDGE 800 D	125	800
546 11 33-07	TACTI-POLISH TF EDGE 1500 D	125	1500
546 11 33-08	TACTI-POLISH TF EDGE 3000 D	125	3000

SPECIAL APPLICATIONS

HUSQVARNA ELITE-GRIND TRANSITION

Elite-Grind Transition tool is recommended for use between metal and resin to reduce scratches and prepare the floor for the first phase of polishing.



PRODUCT NUMBER	NAME	DIAMETER, MM	GRIT SIZE	CONNECTOR
546 40 42-25	ELITE-GRIND TRANSITION	125	30	7/8
546 40 43-25	ELITE-GRIND TRANSITION	125	50	7/8
546 40 44-25	ELITE-GRIND TRANSITION	125	100	7/8
546 40 45-25	ELITE-GRIND TRANSITION	125	200	7/8
546 40 46-80	ELITE-GRIND TRANSITION	180	30	7/8
546 40 47-80	ELITE-GRIND TRANSITION	180	50	7/8
546 40 48-80	ELITE-GRIND TRANSITION	180	100	7/8
546 40 49-80	ELITE-GRIND TRANSITION	180	200	7/8


HUSQVARNA VARI-POLISH VC D

The Vari-Polish VC D are diamond-infused triangle pads, ideal for use with handheld machines. The complete range of pads ensures that you can maintain a consistent floor level throughout. The triangular shape of the pads allows you to grind right to the edge of corners, leaving no area untouched.



PRODUCT NUMBER	NAME	GRIT SIZE
590 53 39-01	VARI-POLISH VC 50 D	50
590 53 39-02	VARI-POLISH VC 100 D	100
590 53 39-03	VARI-POLISH VC 200 D	200
590 53 39-04	VARI-POLISH VC 400 D	400
590 53 39-05	VARI-POLISH VC 800 D	800
590 53 39-06	VARI-POLISH VC 1500 D	1500
590 53 39-07	VARI-POLISH VC 3000 D	3000





**NEED HELP
CHOOSING
THE RIGHT TOOL?**

Achieving successful results with floor surfaces is not only about your equipment, but also about your choice of diamond tools. Knowing exactly which tools and chemicals you need can be a challenge, even for the most experienced floor specialists.

Use the Husqvarna tool selector to easily select, recommend and purchase the right diamond tools for your surface preparation and floor treatment projects.

WHAT?

Think of the tool selector as your digital assistant. It brings together our extensive application knowledge and diamond tool expertise in one place, to pinpoint the optimal set of diamond tools and chemicals needed for your specific job.

Simply enter information about the material, finish, surface size and equipment to find the tools and chemicals you need to get the best results for your project.

WHEN?

Estimate and quote projects more accurately by specifying all products needed at each step of the process, from grinding to polishing and cleaning.

WHY?

Save valuable time, reduce costs and be more productive. It only takes a few steps to see what your job needs, so you can be sure of leaving behind the best possible results on every floor, every time.

HOW?

**SCAN THE QR CODE
TO USE THE
TOOL SELECTOR**



SCAN ME



TECHNICAL SPECIFICATIONS

* total height of the cup wheel in mm
** available also with GR 80 and 120

					Dimensions														
					3"	4"	4.5"	5"	6"	7"	9"	10"	10"	11"	16"/17"/21"/ 24"/27"				
					75 mm	105mm	115mm	125mm	150mm	180mm	230mm	250mm	255/265 mm	270mm	400/430/530/ 600/685 mm				
CATEGORY	MARKET NAME	COOLANT	CONNECTOR	SEGMENT HEIGHT															
cup wheel	ELITE-GRIND T-REX Super	Dry	7/8	3 mm		21*		21*		29*									
cup wheel	ELITE-GRIND T-REX O	Dry	7/8	3 mm				21*		29*									
cup wheel	ELITE-GRIND STAR M	Dry	7/8	7 mm				23*		33*									
cup wheel	ELITE-GRIND STAR H	Dry	7/8	7 mm				23*		33*									
cup wheel	ELITE-GRIND TRANSITION	Dry	7/8	6 mm				21*		27*									
cup wheel	VARI-GRIND ARROW O	Dry	5/8 - 11 THD	7 mm		24*		24*		34*									
cup wheel	VARI-GRIND ARROW O	Dry	7/8	7 mm		22*		22*		32*									
cup wheel	VARI-GRIND DOUBLE S	Dry	5/8 - 11 THD	6 mm		23*		21*		31*									
cup wheel	VARI-GRIND DOUBLE S	Dry	7/8	6 mm			21*	21*		31*									
cup wheel	VARI-GRIND DOUBLE S	Dry	7/8 - 5/8 B	6 mm		23*		21*		31*									
cup wheel	VARI-GRIND TURBO M	Dry	5/8 - 11 THD	6 mm		23*		20*		23*									
cup wheel	VARI-GRIND TURBO M	Dry	7/8	6 mm			20*	20*		23*									
cup wheel	VARI-GRIND TURBO M	Dry	7/8 - 5/8 B	6 mm		21*				23*									
cup wheel	VARI-GRIND SINGLE H	Dry	5/8 - 11 THD	6 mm		23.2*		21*		30*									
cup wheel	VARI-GRIND SINGLE H	Dry	7/8	6 mm	21*														
cup wheel	VARI-GRIND SINGLE H	Dry	7/8 - 5/8 B	6 mm		21*		21*		30*									
cup wheel	VARI-GRIND SPIRAL H	Dry	3/4	6 mm					21.5*										
cup wheel	VARI-GRIND SPIRAL H	Dry	7/8	6 mm		20*	20*	20*		25*									
cup wheel	TACTI-GRIND DOUBLE S	Dry	1 - 7/8 B	5 mm		20*	20*	20*		23*									
cup wheel	TACTI-GRIND TURBO M	Dry	1 - 7/8 B	5 mm		20*	20*	20*		23*									
cup wheel	TACTI-GRIND SINGLE H	Dry	1 - 7/8 B	5 mm				20*		23*									
metal	ELITE-GRIND RING T-REX	Dry	cross/head lock	-										●					
metal	ELITE-GRIND EZ T-REX Dome	Dry	EZchange	-	●														
metal	ELITE-GRIND EZ T-REX Super	Dry	EZchange	-	●														
metal	ELITE-GRIND EZ T-REX O	Dry	EZchange	13 mm	●														
metal	ELITE-GRIND EZ XS	Dry	EZchange	13 mm	●														
metal	ELITE-GRIND EZ S	Dry	EZchange	13 mm	●														
metal	ELITE-GRIND EZ M	Dry	EZchange	13 mm	●														
metal	ELITE-GRIND EZ H	Dry	EZchange	13 mm	●														
metal	ELITE-GRIND EZ X	Dry	EZchange	13 mm	●														
metal	ELITE-GRIND EZ SHARXX	Dry	EZchange	13 mm	●														
metal	ELITE-GRIND PREMIUM +	Dry	bold on	10 mm								●							
metal	ELITE-GRIND DISC T-REX	Dry	bold on	-								●							
metal	ELITE-GRIND SUPREME	Dry	bold on	10 mm								●							
metal	ELITE-SHAVE	Dry/Wet	HEX	10 mm									●		●				
metal	ELITE-GRIND SGW	Wet	Cross Complete	10 mm					●		●			●					
metal	ELITE-HAMMER RAVAGER	Dry	Cross	-						●	●			●					
metal	ELITE HAMMER RAVAGER	Dry	Head Lock	-						●	●			●					
metal	VARI-GRIND EZ T-REX CLASSIC	Dry	EZchange	-															
metal	VARI-GRIND ARROW	Dry	bold on	7 mm								●							
metal	VARI-GRIND STAR	Dry	bold on	10 mm								●							
metal	VARI-GRIND EZ S	Dry	EZchange	10 mm	●														
metal	VARI-GRIND EZ M	Dry	EZchange	10 mm	●														
metal	VARI-GRIND EZ H	Dry	EZchange	10 mm	●														
metal	VARI-GRIND EZ SL	Dry	EZchange	10 mm	●														
metal	TACTI-GRIND EURO	Dry	bold on	10 mm								●							
resin	ELITE-POLISH ET D	Dry	EZchange	-	●														
resin	ELITE-POLISH EP D	Dry	EZchange	-	●														
resin	ELITE-POLISH EP Edge D	Dry	Velcro	-				●											
resin	ELITE-POLISH EF D	Dry	EZchange	-						●	●			●					
resin	ELITE-POLISH EF W	Wet	EZchange	-						●	●			●					
resin	ELITE-POLISH EFT W	Wet	EZchange	-						●	●			●					
resin	ELITE-POLISH EB D/W	Dry/Wet	EZchange	-						●	●			●					
resin	ELITE-POLISH EB/EM D/W	Dry/Wet	Velcro	-			●								●				
resin	ELITE-POLISH EO D	Dry	Velcro	-	●														
resin	ELITE-POLISH EX D	Dry	EZchange	-						●	●			●					
resin	VARI-POLISH VT D	Dry	Velcro	-	●														
resin	VARI-POLISH VT W	Wet	Velcro	-	●														
resin	VARI-POLISH VP D	Dry	Velcro	-	●														
resin	VARI-POLISH VP W	Wet	Velcro	-	●														
resin	VARI-POLISH VP Edge D	Dry	Velcro	-			●												
resin	VARI-POLISH VP Edge W	Wet	Velcro	-	●														
resin	VARI-POLISH VF D	Dry	EZchange	-						●	●			●					
resin	VARI-POLISH VC D	Dry	Velcro	-			●												
resin	VARI-POLISH VS D **	Dry	Velcro	-						●	●								
resin	TACTI-POLISH TT W	Wet	Velcro	-	●														
resin	TACTI-POLISH TP D	Dry	Velcro	-		●													
resin	TACTI-POLISH TF Edge D	Dry	Velcro	-				●											

Grit Size										Material Compatibility						
	16	25	30	50	100	200	400	800	1500	3000	Concrete	Natural Stone	Bricks	Coatings	Overlays	Wood
1																
2																
3																
4																
5																
6																
7																
8																
9																
10																
11																
12																
13																
14																
15																
16																
17																
18																
19																
20																
21																
22																
23																
24																
25																
26																
27																
28																
29																
30																
31																
32																
33																
34																
35																
36																
37																
38																
39																
40																
41																
42																
43																
44																
45																
46																
47																
48																
49																
50																
51																
52																
53																
54																
55																
56																
57																
58																
59																
60																
61																
62																
63																
64																
65																
66																
67																
68																
69																
70																
71																
72																
73																
74																
75																
76																
77																
78																
79																
80																
81																
82																
83																
84																
85																
86																
87																
88																
89																
90																
91																
92																
93																
94																
95																
96																
97																
98																
99																
100																

THE HUSQVARNA ADVANTAGE

Challenge us to exceed your expectations. Whatever you need to get the best possible results – machines, tools, efficient services or friendly guidance – we're ready to deliver it.

WIDEST OFFERING

The only global player with such a complete offering.

BROADEST SELECTION

An unparalleled range of premium equipment to meet your needs.

NEW APPLICATIONS

Get support for working with new methods, techniques and applications.

TACKLE ANY SURFACE

From extremely abrasive floors to the hardest concrete, as well as special applications like natural stone and wood.

GET WORLD-CLASS SUPPORT

Benefit from a deep resource of industry expertise and know-how from qualified technicians and a responsive team.

SCAN THIS QR CODE TO FIND THE COMPLETE CONVERSION LIST FROM OLD TO NEW ARTICLES.



SURFACE MATERIAL CHART

• = OPTIMAL

• = OPTIMAL			Category		Parent ID name																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
							resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin	resin

[illegible]



EXPECT MORE

With Husqvarna Construction as your business partner, you can expect more. Not just from our equipment and diamond tools, but from us. More support so you can perform at your best. More smart ideas to keep your business at the cutting edge. More concern for your health. And more care for our environment. Because we know the more we put in, the more you get out.



www.husqvarnaconstruction.com